

Aramid fibre braid grade hoses



Corroflon

Features and benefits

- Increased abrasion resistance
- Longer service life
- Increased temperature range compared to polypropylene braid
- Higher working pressure compared to polypropylene braid
- Antistatic externally due to two antistatic tracer wires
- Safer for manual handling compared to metallic braids



Nominal hose bore size		Bore inside convolutions		Corroflon grade (braid)	Maximum working pressure of hose		Burst pressure		Minimum bend radius	
in	mm	in	mm		bar	psi	bar	psi	in	mm
1	25	0.847	21.5	AMB	31	450	124	1,800	2 1/4	70
1 1/2	40	1.250	32.0	AMB	23	335	92	1,335	4	100
2	50	1.690	43.0	AMB	20	290	80	1,160	5 1/2	140

AMB = Aramid gold braid

Technical specifications

	Aramid fibre braid grade hoses
Nominal bore size	1 - 2 in (25 - 50 mm)
Actual bore size	0.847 - 1.69 in (21.5 - 43 mm)
Length	72 ft (22 m)
Max. operating pressure	450 psi (31 bar)
Burst pressure	1160 - 1,800 psi (80 - 124 bar)
Certification and compliance	EN16643:2016, TRBF 131/2
Operating temperature	-100 °F to 356 °F (-55 °C to 180 °C)
Bend radius	2.75 - 5.5 in (70 - 140 mm)
Cover	None
Hose external protection options	Protection coil, Safeguard, Scuff rings
End fitting	90° elbow fittings, BSP and NPT threaded fittings, CAM and groove fittings, DIN 11851 fittings, JIC fittings, PTFE dip pipe fittings, Sanitary triclamp fittings, SMS and RJT fittings, Swivel flange fittings
Vacuum resistance	Vacuum resistant to -0.9bar

Materials of construction

	Aramid fibre braid grade hoses
Helical wire	Stainless steel
Liner tube	Antistatic PTFE
Braid	Aramid fibre

Disclaimer: The information contained in this document is believed to be correct but Aflex Hose Limited accepts no liability for any errors it contains and reserves the right to alter specifications without notice. It is the users' responsibility to ensure product suitability for use within their application. Bioflex, Corroflon, Corroline, Hyperline FX, Pharmaline are registered trademarks of Aflex Hose Limited. A member of Watson-Marlow Fluid Technology Group, A Spirax-Sarco Engineering plc company.



wmfts.com/global
12 December 2025